

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 4901

## 2013 Dodge Grand Caravan 4dr Wgn



**2013 Dodge Grand Caravan 4dr Wgn SE (RTKH53)**

---

CLASS 4901

VAN PASSENGER MINI FWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
STANDARD EQUIPMENT	
Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3
TECHNICAL SPECIFICATIONS	
Vehicle	4
Powertrain	4
Dimensions	5
Chassis	6
WARRANTY INFORMATION	
Warranty Information	8

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
RTKH53	2013 Dodge Grand Caravan 4dr Wgn SE

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
—	NATIONAL DELIVERY
NAS	50-STATE EMISSIONS
ERB	3.6L VVT 24-VALVE V6 FLEX FUEL ENGINE, (STD)
DG2	6-SPEED AUTOMATIC TRANSMISSION W/OD, (STD)
29E	29E SE CUSTOMER PREFERRED ORDER SELECTION PKG, -inc: 3.6L V6 engine, 6-speed auto trans, (6) speakers, air cond w/3-zone temp control, body-color bodyside molding, body-color door handles, body-color sill applique, easy-clean floor mats, floor console w/cupholder, rear air cond w/heater, sunscreen glass, (REQ: WFJ 17" Wheels)
WFJ	17" X 6.5" ALUMINUM WHEELS, -inc: HD 4-wheel anti-lock disc brakes, P225/65R17 all-season tires
TVY	P225/65R17 ALL-SEASON TOURING BSW TIRES, (REQ: WFJ 17" Wheels), *No Longer Factory Orderable, See Dealer for Current Availability*
—	STANDARD PAINT
H7X1	BLACK/LIGHT GRAYSTONE, CLOTH SEAT TRIM
CYC	2ND ROW FOLD-IN-FLOOR BUCKET SEATS, -inc: 3rd row Stow 'N Go w/tailgate seats (STD)
CEQ	BLACK SEATS
AWH	PWR WINDOW GROUP, -inc: pwr quarter vented windows, front/rear pwr windows w/front 1-touch
LMN	DAYTIME RUNNING LAMPS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

3.6L VVT 24-valve V6 flex fuel engine  
6-speed automatic transmission w/OD  
Engine oil cooler  
HD transmission oil cooler  
HD engine cooling  
HD radiator  
Front wheel drive  
Autostick automatic transmission  
730-amp maintenance-free battery  
160-amp alternator  
Trailer sway damping  
Touring suspension  
Pwr rack & pinion steering

## EXTERIOR

16" x 6.5" steel wheels  
P225/65R16 all-season BSW tires  
16" wheel covers  
Compact spare tire  
Tire carrier winch  
Body-color fascias  
Body-color bodyside molding  
Belt moldings  
Black/bright grille  
Halogen quad headlamps  
Headlamp time-delay off  
Fold-away heated pwr mirrors  
Sunscreen glass  
Variable intermittent windshield wipers  
Rear window wiper/washer  
Manual right sliding door w/glass  
Manual left sliding door w/glass  
Body-color door handles

## ENTERTAINMENT

Uconnect 130 -inc: AM/FM stereo w/CD/MP3 player  
(6) speakers  
Fixed long mast antenna  
Audio input for mobile devices

## INTERIOR

2nd row fold-in-floor bucket seats -inc: 3rd row Stow 'N Go w/tailgate seats  
Front cloth low-back bucket seats  
Manual adjustable seats  
Active head restraints  
Floor console w/cupholder  
Carpet flooring

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Easy-clean floor mats  
Body-color sill applique  
Luxury steering wheel  
Tilt/telescopic steering wheel column  
Steering wheel mounted audio controls  
Instrument panel  
Instrument cluster w/tachometer  
Lower instrument panel cubby bin  
120 MPH primary speedometer  
Outside temp display  
Front pwr windows w/driver-side 1-touch feature  
Pwr locks  
Non adjustable pedals  
Keyless entry w/immobilizer  
Tip start  
Speed control  
Air conditioning w/3-zone temp control  
Rear air conditioning w/heater  
Rear window defroster  
Air filter  
Dual glove boxes  
12V DC front & rear pwr outlets  
Overhead console  
Observation mirror  
Driver side sun visor w/mirror  
Passenger side sun visor w/mirror  
Assist handles  
Front courtesy/map lamps  
Door courtesy lamps  
Rear dome lamp  
Liftgate flood lamp  
Rear seatback grocery bag hooks  
LH rear quarter storage bin

## SAFETY

4-wheel anti-lock disc brakes  
Electronic stability program  
Advanced multi-stage front air bags  
Driver knee-bolster air bag  
Supplemental front seat side air bags  
Supplemental side curtain air bags for all rows  
Rear child safety locks  
LATCH ready child seat anchor system  
Tire pressure monitor  
Dual note electric horn

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## VEHICLE

### Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	9.1 (2012)
EPA Greenhouse Gas Score	4 (2012)

### Vehicle

EPA Classification	2WD Minivan
--------------------	-------------

## POWERTRAIN

### Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	DG2
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.120
Second Gear Ratio (:1)	2.840
Third Gear Ratio (:1)	2.280
Fourth Gear Ratio (:1)	1.450/1.570
Fifth Gear Ratio (:1)	1.000
Sixth Gear Ratio (:1)	0.690
Reverse Ratio (:1)	3.210
Clutch Size	
Final Drive Axle Ratio (:1)	3.160

### Mileage

EPA Fuel Economy Est - Hwy	25 (2012) MPG
Cruising Range - City	340.00 mi
EPA Fuel Economy Est - City	17 (2012) MPG
Fuel Economy Est-Combined	20 (2012) MPG
Cruising Range - Hwy	500.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

### Engine

Engine Order Code	ERB
Engine Type	Gas/Ethanol V6
Displacement	3.6L/220
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	283 @ 6400
SAE Net Torque @ RPM	260 @ 4400

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Maximum Alternator Capacity (amps)	160

## Cooling System

Total Cooling System Capacity	10.300 qts
-------------------------------	------------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	7
Passenger Volume	163.500 ft³
Front Head Room	39.800 in
Front Leg Room	40.700 in
Front Shoulder Room	63.700 in
Front Hip Room	58.400 in
Second Head Room	39.300 in
Second Leg Room	36.500 in
Second Shoulder Room	64.100 in
Second Hip Room	65.000 in
Third Head Room	37.900 in
Third Leg Room	32.700 in
Third Shoulder Room	62.000 in
Third Hip Room	48.700 in

### Exterior Dimensions

Wheelbase	121.200 in
Length, Overall	202.800 in
Width, Max w/o mirrors	78.700 in
Height, Overall	67.900 in
Track Width, Front	65.600 in
Track Width, Rear	64.800 in
Min Ground Clearance	5.600 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	24.400 in

### Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Wheelhousings	49.000 in
Cargo Box (Area) Height	46.200 in
Cargo Volume to Seat 1	143.800 ft³
Cargo Volume to Seat 2	83.300 ft³
Cargo Volume to Seat 3	33.000 ft³
Trunk Volume	N/A ft³

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## CHASSIS

### Weight Information

Base Curb Weight	4510 lbs
------------------	----------

### Trailer

Dead Weight Hitch - Max Trailer Wt.	N/A lbs
Dead Weight Hitch - Max Tongue Wt.	N/A lbs
Wt Distributing Hitch - Max Trailer Wt.	N/A lbs
Wt Distributing Hitch - Max Tongue Wt.	N/A lbs

### Suspension

Suspension Type - Front	MacPherson Strut
Suspension Type - Rear	Twist-beam
Suspension Type - Front (Cont.)	w/Coil Springs
Suspension Type - Rear (Cont.)	w/Coil Springs
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

### Tires

Front Tire Order Code	TVY
Rear Tire Order Code	TVY
Spare Tire Order Code	TBK
Front Tire Size	P225/65R17
Rear Tire Size	P225/65R17
Spare Tire Size	Compact

### Wheels

Front Wheel Size	17 x 6.5 in
Rear Wheel Size	17 x 6.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

### Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	14.300
Lock to Lock Turns (Steering)	2.900
Turning Diameter - Curb to Curb	39.100 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.



## Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	11.900 x 1.100 in
Rear Brake Rotor Diam x Thickness	12.000 x 0.500 in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

## Fuel Tank

Fuel Tank Capacity, Approx	20.000 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.



# Warranty Information

<<< PRELIMINARY 2013 WARRANTY >>>

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/100,000 Miles
Corrosion:
5 Years/100,000 Miles
Roadside Assistance:
5 Years/100,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.